

Product Description

- High Efficiency 3-Phase Inverter
- Perfect for large scale plants
- Peak Efficiency of 98,3%
- 2 MPP Trackers
- Suitable for indoor & Outdoor

Warranty

5 Year



Dimensions:

Product:
510mm x 445mm x
177mm

Weight : 26 Kg

Specification Summary

Product	: Delta RPI M10A Inverter
<u>Input (DC)</u>	
Max DC Power	: 12,5kWp
Max Input Power	: 11Kw
Nominal Power	: 10Kw
Max Input Voltage	: 1000V
MPP Voltage	: 200V - 1000V
Min Input / Start Input	: 250V
Voltage range for Max Power	: 415V - 800V
Max Current / MPPT	: 25A / 15A & 10A
Max Number of MPP Trackers	: Parallel inputs x 1 Separate Inputs x 2
<u>Output (AC)</u>	
Nominal	: 10KVA
Voltage Range	: 230V / 400V : 3PH + PE or 3PH + N + PE
Nominal Current	: 14,5A
DC Connectors	: 3 Pairs MC4
AC/DC Disconnect	: Integrated

Product Description

- High Efficiency 3-Phase Inverter
- Perfect for large scale plants
- Peak Efficiency of 98,3%
- 2 MPP Trackers
- Suitable for indoor & Outdoor

Warranty

5 Year



Dimensions:

Product:
625mm x 612mm x
278mm

Weight : 43 Kg

Specification Summary

Product	: Delta RPI M15A Inverter
<u>Input (DC)</u>	
Max DC Power	: 19kWp
Max Input Power	: 16,5Kw
Nominal Power	: 15,6Kw
Max Input Voltage	: 1000V
MPP Voltage	: 200V - 1000V
Min Input / Start Input	: 250V
Voltage range for Max Power	: 355V - 820V
Max Current / MPPT	: 44A / 22A
Max Number of MPP Trackers	: Parallel inputs x 1 Separate Inputs x 2
<u>Output (AC)</u>	
Nominal	: 15KVA
Voltage Range	: 230V / 400V : 3PH + PE or 3PH + N + PE
Nominal Current	: 22A
DC Connectors	: 4 Pairs MC4
AC/DC Disconnect	: Integrated

Product Description

- High Efficiency 3-Phase Inverter
- Perfect for large scale plants
- Peak Efficiency of 98,4%
- 2 MPP Trackers
- Suitable for indoor & Outdoor

Warranty

5 Year



Dimensions:

Product:
625mm x 612mm x
278mm

Weight : 43 Kg

Specification Summary

Product	: Delta RPI M20A Inverter
<u>Input (DC)</u>	
Max DC Power	: 25kWp
Max Input Power	: 22Kw
Nominal Power	: 20,6Kw
Max Input Voltage	: 1000V
MPP Voltage	: 200V - 1000V
Min Input / Start Input	: 250V
Voltage range for Max Power	: 470V - 820V
Max Current / MPPT	: 44A / 22A
Max Number of MPP Trackers	: Parallel inputs x 1 Separate Inputs x 2
<u>Output (AC)</u>	
Nominal	: 20KVA
Voltage Range	: 230V / 400V
	: 3PH + PE or 3PH + N + PE
Nominal Current	: 29A
DC Connectors	: 4 Pairs MC4
AC/DC Disconnect	: Integrated

Product Description

- High Efficiency 3-Phase Inverter
- Perfect for large scale plants
- Peak Efficiency of 98,6%
- 2 MPP Trackers
- Suitable for indoor & Outdoor

Warranty

5 Year



Dimensions:

Product:
625mm x 612mm x
278mm

Weight : 45.5 Kg

Specification Summary

Product	: Delta RPI30 Inverter
<u>Input (DC)</u>	
Max DC Power	: 38kWp
Max Input Power	: 35Kw
Nominal Power	: 31,5Kw
Max Input Voltage	: 1000V
MPP Voltage	: 200V - 1000V
Min Input / Start Input	: 250V
Voltage range for Max Power	: 520V - 800V
Max Current / MPPT	: 60A / 30A
Max Number of MPP Trackers	: Parallel inputs x 1 Separate Inputs x 2
<u>Output (AC)</u>	
Nominal	: 30KVA
Voltage Range	: 230V / 400V : 3PH + PE or 3PH + N + PE
Nominal Current	: 43,5A
DC Connectors	: 6 Pairs MC4
AC/DC Disconnect	: Integrated

Product Description

- High Efficiency 3-Phase Inverter
- Perfect for large scale plants
- Peak Efficiency of 98,6%
- Built-in AC & DC Surge Protection
- Built-in String Fuse Protection
- 2 MPP Trackers
- Suitable for indoor & Outdoor

Warranty

5 Year



Dimensions:

Product:
740mm x 612mm x
278mm

Weight : 74.0 Kg

Specification Summary

Product	: Delta RPI50 Inverter
<u>Input (DC)</u>	
Max DC Power	: 70kWp
Max Input Power	: 58Kw
Nominal Power	: 52Kw
Max Input Voltage	: 1100V
MPP Voltage	: 200V - 1000V
Min Input / Start Input	: 200V
Voltage range for Max Power	: 520V - 800V
Max Current / Per MPPT	: 100A / 50A
Max Number of MPP Trackers	: Parallel inputs x 1 Separate Inputs x 2
String Fuse Protection	: 15A
<u>Output (AC)</u>	
Nominal	: 50KVA
Voltage Range	: 230V / 400V : 3PH + PE or 3PH + N + PE
Nominal Current	: 73A
DC Connectors	: 10 x MC4 Pairs
AC/DC Disconnect	: Integrated

Product Description

Sunny Tripower 10000TL is a robust 3 Phase Grid Tie inverter with Outdoor Enclosure.

Efficiency : 98,5%

Safe : IP65

Warranty

5 Years



Dimensions:

Product:
665mm x 680mm x
265mm

Weight : 45.0 Kg

Specification Summary

Product	: SMA Sunny Tripower 10000TL
<u>Input (DC)</u>	
Max DC Power	: 10500W
Max Input Voltage	: 600V
MPP Voltage / Rated Input V	: 300V - 590V
Max Input Current	: 36A
Max Input Current Per String	: 36A
Number of MPP Inputs / Strings	: 1 / 6
<u>Output (AC)</u>	
Rated Power @ 202V, 50Hz	: 10000W
Nominal AC Power	: 3/PE, 202V
AC Voltage Range	: 160V - 240V
Max Output Current	: 29A
Feed In Phases	: 3

Product Description

Sunny Tripower 25000TL is a robust 3 Phase Grid Tie inverter with Outdoor Enclosure.

Efficiency : 98,4%

Safe : IP65

Warranty

5 Years



Dimensions:

Product:
665mm x 680mm x
265mm

Weight : 45.0 Kg

Specification Summary

Product	: SMA Sunny Tripower 25000TL
<u>Input (DC)</u>	
Max DC Power	: 25550W
Max Input Voltage	: 1000V
MPP Voltage / Rated Input V	: 320V - 800V
Min Input / Start Input	: 150V / 188V
Max Input Current A / B	: 33A / 33A
Max Input Current Per String	: 36A
Number of MPP Inputs / Strings	: 2 / A:3 B:3
<u>Output (AC)</u>	
Rated Power @ 202V, 50Hz	: 25000W
Nominal AC Power	: 3/PE, 220 / 380V
AC Voltage Range	: 160V - 280V
Max Output Current	: 36,2A
Feed In Phases	: 3